



CREATORS OF PRECISION

"When our new brand was launched, it naturally aroused much interest. Who was working on this project? Who were the technicians and engineers who make up Victrix Armaments? Who was managing the project? But most of all, who was really behind this ambitious venture? Indeed, who could take on such a major challenge?

These are all valid questions but, is it not possible to truly understand the importance of our brand simply by asking who and how many are working on it?

I now welcome the opportunity to answer as many of these questions as I can and also to convey the real impetuous behind our Company.

Behind Victrix Armaments are those most passionate about precision shooting.

Behind Victrix Armaments are individuals working at the highest level in the military arena, true experts in their particular field.

Behind Victrix Armaments are technicians and specialists in precision engineering and design who are prepared to explore all segments of their craft and expertise.

Why? After years acting as strategic partners to a large number of equipment manufacturers and particularly arms-producing companies and brands, we realised that it was now time for us to demonstrate our ability to manufacture a product without compromise and to honour our idea of precision firearms.

This is the core aim of Victrix Armaments – the will and determination to develop and manufacture new and safe generation of firearm systems for both sporting and military use without compromise.

Behind Victrix Armaments, are the men and women who have made all this possible. We are Victrix Armaments; we are creators of precision."

Giuseppe Valtorta
CEO and Founder







THESE ARE THE THREE MAIN VALUES OF VICTRIX ARMAMENTS

Victrix Armaments, a Rottigni Company with over 45 years of experience in high precision engineering, we have developed unique manufacturing processes, which result in extremely close tolerances unparalleled in the firearms industry.

Victrix pride and experience: Where 45 years of traditional craftsmanship dovetails with modern technology.

WHAT MAKES VICTRIX ARMAMENTS DIFFERENT

At Victrix Armaments, we see ourselves as unique within the firearms industry, with the exception of the match grade barrel, all of the other components of the rifle have been designed and manufactured inside our company.

The advantage to this, of course, is that we are not reliant on other manufacturers for supply, quality and functionality. In maintaining this degree of control, we have analysed specific materials for their mechanical qualities and incorporated them into the design and manufacture of our rifles.



INNOVATION

AND DESIGN.





Our team of precision engineers and craftsmen have at their fingertips the most modern and sophisticated five axis CNC machining centres, spark erosion and EDM wire cutting equipment available to them.

Our actions are worked out directly from billet on high-technological CNC machining centres, to accomplish very law geometrical and dimensional tolerances and meet extremely high-quality standards. The alloy steel used allows to achieve high mechanical specifications. Treatment processes are carefully checked as they ensure long-lasting performance standards.

All actions single shot as well as those with magazines are equipped with a three-lug bolt thus assuring the highest precision.







Attention to detail is paramount in the production of our precision rifles.

All of our components come together in our rifle building department, where each component is lovingly put together, with the emphasis on attention to detail, by our craftsmen, to produce what is known as the Victrix Precision Rifle. Victrix commands an unparalleled level of precision throughout its range.

We go straight to the heart of perfection.

REVOLUTIONISED INSPECTION & ANALYSIS.

Our highly skilled and qualified technicians, using

state-of-the-art measurement and test equipme

Our laboratory is equipped with computerized tridimensional checking machining such as

DEA, microscopes, roughness and roundness

testers, tools for the analysis of hardness as we as manual measuring instruments. Testing an

samples are performed in SIT laboratories.

calibration measurements of all instruments and

guarantee the accuracy of every component.













Pugio



Scope and bipod are not included in the rifle configuration.




Soft touch cheek-piece















Carry handle:

- 2 size tripod attach.
- Multi QD sling attach. Helisniping rod attach.
- The tripod attach. shown in the picture is only for example









Pugio

Law Enforcement - Military Destination use:

//// Caliber (Twist rate): .308 Win (1/10)

16" //// Barrel Length:



Law Enforcement - Military
.308 Win (1/10)
16"
Single cut in Aisi 416R lapped
Minerva short 3-lug action in Aisi 630 w/ detach. magaz. PVD coated
5 Rounds (compatible AI AICS system)
Polymer 8 Rounds - Metal 5 Rounds - Metal 10 Rounds (only MIL. / L.E. use)
Double Stage - Adjust.
Upper
3 Chambers Detachable
20 Moa
Arrow
45 mm
60 mm

Stand. Equip. w/ QD sling attach.	
Advanced +	
Evo	
Octagonal Elliptic	
Keymod 🕀	
20 Moa	
Standard Equipment only on O	ct. Ellipt. forend
Standard Equipment w/ QD slir	ng attach.
Standard Equipment	
Hard Black Anodized	
Standard Equipment	
5800	
720 / 940	

All screws are dark-treated inox steel





Gladius TGT


The picture shows the model with 26" barrel. Scope and bipod are not included in the rifle configuration.



Soft touch cheek-piece





















Gladius TGT

Law Enforcement - Military - Tactical sporting shooting

//// Caliber (Twist rate): .308 Win (1/11) - .260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)

//// Barrel Length: 22" - 26"



Law Enforcement - Military - Tactical sporting shooting	Stand. Equip. w/ QD sling attach.	
.308 Win (1/11)260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)	Advanced (+)	
22"-26"	Evo	
Single cut in Aisi 416R lapped	Round Elliptic	
Minerva short 3-lug action in Aisi 630 w/ detach. magaz. PVD coated	0 Moa	Sept. Comp.
5 Rounds (compatible AI AICS system)	Optionals	
Polymer 8 Rounds - Metal 5 Rounds - Metal 10 Rounds (only MIL. / L.E. use)	Standard Equipment w/ QD slir	ng attach.
Double Stage - Adjust.	Hard Black Anodized	
Upper		
3 Chambers Detachable	Standard Equipment	
20 Moa	6300 (22") - 6600 (26")	
Arrow	900 / 1125 (22") - 1000 / 1225	(26")
45 mm		
60 mm		

All screws are dark-treated inox steel





Gladius TCT

The picture shows the model with 22" barrel. Scope and bipod are not included in the rifle configuration.




Soft touch cheek-piece















- 2 size tripod attach.
- Multi QD sling attach. Helisniping rod attach.
- The tripod attach. shown in the picture is only for example

Quick adjustment Monopod rail w/ QD sling attach.













Gladius TCT

Destination use: Law Enforcement - Military

//// Caliber (Twist rate): .308 Win (1/11) - .260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)

//// Barrel Length: 22" - 26"



Law Enforcement - Military
.308 Win (1/11)260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)
22"-26"
Single cut in Aisi 416R lapped
Minerva short 3-lug action in Aisi 630 w/ detach. magaz. PVD coated
5 Rounds (compatible AI AICS system)
Polymer 8 Rounds - Metal 5 Rounds - Metal 10 Rounds (only MIL. / L.E. use)
Double Stage - Adjust.
Upper
3 Chambers Detachable
20 Moa
Advanced
50 mm
60 mm

Stand. Equip. w/ QD sling attach.	
Evo	
Octagonal Elliptic	
Keymod 🕀	
20 Moa	T
Standard Equipment only on C	Oct. Ellipt. forend
Standard Equipment w/ QD sli	ng attach.
Standard Equipment	
Hard Black Anodized	
TAN (action, barrel, muzzle brake, ch	eek piece, magazine, screws and rails: BLA
Standard Equipment	
6400 (22") - 6700 (26")	
900 / 1125 (22") - 1000 / 1225	(26")

All screws are dark-treated inox steel





Scorpio TGT

The picture shows the model with 26" barrel. Scope and bipod are not included in the rifle configuration. Metal magazine optional.



Scorpio TGT

// Destination use: Law Enforcement - Military - Tactical sporting shooting

//// Caliber (Twist rate): .338 Lapua Magnum (1/10) - .300 Win Mag (1/10) 300 Norma Mag. (1/10)

//// Barrel Length: **22" - 26"**



Law Enforcement - Military - Tactical sporting shooting	Stand. Equip. w/ QD sling attach.
.338 Lapua Magnum (1/10)300 Win Mag (1/10) - 300 Norma Mag. (1/10)	Advanced (+)
22"- 26"	Evo
Single cut in Aisi 416R lapped	Round Elliptic
Minerva long 3-lug action in Aisi 630 w/ detach. magaz. PVD coated	0 Moa
5 Rounds (compatible AI AICS system)	Optionals
Polymer 8 Rounds - Metal 5 Rounds (only MIL. / L.E. use)	Standard Equipment w/ QD sling attach.
Double Stage - Adjust.	Hard Black Anodized
Upper	
3 Chambers Detachable	Standard Equipment
20 Moa	6600 (22") - 6950 (26")
Arrow	940 / 1170 (22") - 1020 / 1260 (26")
45 mm	

All screws are dark-treated inox steel

 \sim 27





Scorpio TCT

The picture shows the model with 22" barrel TAN colour finished. Scope and bipod are not included in the rifle configuration. Metal magazine optional.



Soft touch cheek-piece














Quick adjustment Monopod rail w/ QD sling attach.





- 2 size tripod attach. Multi QD sling attach.
- Helisniping rod attach.
- Rear bipod rail













Scorpio TCT

Law Enforcement - Military Destination use:

//// Caliber (Twist rate): .338 Lapua Magnum (1/10) - .300 Win Mag (1/10) 300 Norma Mag. (1/10)

22" - 26" //// Barrel Length:



Law Enforcement - Military	
.338 Lapua Magnum (1/10)300 Win Mag (1/10) - 300 Norma Mag. (1/10)	
22"- 26"	
Single cut in Aisi 416R lapped	
Minerva long 3-lug action in Aisi 630 w/ detach. magaz. PVD coated	
5 Rounds (compatible AI AICS system)	
Polymer 8 Rounds - Metal 5 Rounds (only MIL. / L.E. use)	
Double Stage - Adjust.	
Upper	
3 Chambers Detachable	
20 Moa	
Advanced	
50 mm	
60 mm	All screws a

Stand. Equip. w/ QD sling attach.	
Evo	
Octagonal Elliptic	The same
Keymod 🕀	34
20 Moa	
Standard Equipment only on C	Oct. Ellipt. forend
Standard Equipment w/ QD sli	ing attach.
Standard Equipment	
Hard Black Anodized	
TAN (action, barrel, muzzle brake, che	eek piece, magazine, screws and rails: BLACI
Standard Equipment	
6700 (22") - 7050 (26")	
940 / 1170 (22") - 1020 / 1260) (26")

are dark-treated inox steel





Tormentum

The picture shows the model TAN colour finished. Scope and bipod are not included in the rifle configuration.



Soft touch cheek-piece





- Quick adjustment Monopod rail w/ QD sling attach.











Detachable muzzle brake / fluted barrel



- 2 size tripod attach.
- Multi QD sling attach.
- Helisniping rod attach.
- Rear bipod rail







5 rounds polymer magazine









Tormentum

Law Enforcement - Military - Extreme long range shooting

//// Caliber (Twist rate): .375 Cheytac (1/10) - .408 Cheytac (1/13)

///// Barrel Length:



Law Enforcement - Military - Extreme long range shooting	Stand. Equip. w/ QD sling attach.
.375 Cheytac (1/10)408 Cheytac (1/13)	Evo
30"	Octagonal Elliptic
Single cut in Aisi 416R lapped FLUTED	45 Moa
Marte CT 3-lug action in Aisi 630 w/ detach. magaz. PVD coated	Standard Equipment full lenght
5 Rounds	Standard Equipment w/ QD sling atta
Polymer 7 Rounds (limitable capacity by 5 rounds) (only MIL. / L.E. use)	Standard Equipment
Double Stage - Adjust.	Hard Black Anodized
Upper	TAN (action, barrel, muzzle brake, cheek piece
3 Chambers Detachable	Standard Equipment
45 Moa	12700
Advanced	1230 / 1450
50 mm	
60 mm	

All screws are dark-treated inox steel










Target Series



Target Series

Destination use:

//// Caliber

Sporting by bipod / bag

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



Destination Use Sporting by bipod/bag .300 WSM (1/10 - 32") - .308 Win Match (1/11 - 30") -.308 Win Match (1/10 -32") -.308 Win (1/11 - 30") -Caliber (Twist rate) .284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") -6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") -6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28") Barrel Length See caliber Barrel Single cut in Aisi 416R lapped - 1" muzzle Action Victoria 3-lug action single shot in Aisi 630 PVD coated (std: right port - right bolt) Action optional Left version: left port-right bolt Trigger 4-lever Single Stage Action Rail 20 Moa Buttpad horizontal adj. Optional Buttpad vertical adj. Optional Bipod Rail Standard Anschütz

Monoblock system	Standard Equipment
Hard Case	Standard Equipment
Weight Gr.	6620 (28") -6750 (30") - 6890 (32") (Walnut - 160gr)
Dimension mm	1300
Stock Colour	Blue Laminate - Grey Laminate - Red Laminate - Solid Walnut oil finished
Colours Optional	All stocks of the Victoria series are swappable.










Absolute Series

picture shows the model with buttpad horizontal adjustment optional.



Absolute Series

Destination use: Sporting by rest

/ Caliber .300 WSM -

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



Destination Use	Sporting by rest
Caliber (Twist rate)	.300 WSM (1/10 - 32")308 Win Match (1/11 - 30")308 Win Match (1/10 -32")308 Win (1/11 - 30")284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") - 6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") - 6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28")
Barrel Length	See caliber
Barrel	Single cut in Aisi 416R lapped - 1" muzzle
Action	Victoria 3-lug action single shot in Aisi 630 PVD coated (std: right port - right bolt)
Action optional	Left version: left port-right bolt
Trigger	4-lever Single Stage
Action Rail	20 Moa
Buttpad horizontal adj.	Optional
Buttpad vertical adj.	Standard equipment
Bipod Rail	Use by Rest

Monoblock system	Standard Equipment
Hard Case	Standard Equipment
Weight Gr.	8640 (28") - 8780 (30") - 8920 (32") (Walnut - 230gr)
Dimension mm	1330
Stock Colour	Blue Laminate - Grey Laminate - Red Laminate - Solid Walnut oil finished
Colours Optional	All stocks of the Victoria series are swappable.

42









Sport Series

The picture shows the target model for bipod use. "Target" buttstock and forend



Sport Series

Destination use: Sporting bipod/bag - rest

Caliber .300 WSM -

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



Destination Use	Sporting by bipod/bag - rest
Caliber (Twist rate)	.300 WSM (1/10 - 32")308 Win Match (1/11 - 30") - .308 Win Match (1/10 -32")308 Win (1/11 - 30") - .284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") - 6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") - 6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28")
Barrel Length	See caliber
Barrel	Single cut in Aisi 416R lapped - 1" muzzle
Action	Victoria 3-lug action single shot in Aisi 630 PVD coated (std: right port - right bolt)
Action optional	Left version: left port-right bolt
Trigger	4-lever Single Stage
Action Rail	20 Moa
Buttstock	Target
Horizontal Adjustment	Standard Equipment
Vertical Adjustment	Standard Equipment

Buttstock Optional	Absolute for rest / bag use
Forend	Target for bipod use
Forend Optional	Absolute for rest / bag use
Bipod Rail	Standard Anschütz (only for target forend)
Stock Colour	Hard Black Anodized
Colours Optional	All stocks of the Victoria series are swappable.
Hard Case	Standard Equipment
Weight Gr.	6610 (28") - 6750 (30") - 6890 (32")
Dimension mm	1300

47










Carbon performance



Carbon performance

/// Destination use:

Sporting bipod/bag - rest

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



Destination Use	Sporting by bipod/bag
Caliber (Twist rate)	.300 WSM (1/10 - 32")308 Win Match (1/11 - 30")308 Win Match (1/10 -32")308 Win (1/11 - 30")284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") - 6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") - 6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28")
Barrel Length	See caliber
Barrel	Single cut in Aisi 416R lapped - 1" muzzle
Action	Victoria 3-lug action single shot in Aisi 630 PVD coated (std: right port - right bolt)
Action optional	Left version: left port-right bolt
Trigger	4-lever Single Stage
Action Rail	20 Moa
Buttpad horizontal adj.	Optional
Buttpad vertical adj.	Optional
Bipod Rail	Standard Anschütz

Monoblock system	Standard Equipment ①	
Stock Colour	Visible Carbon Fiber matt	
Colours Optional	All stocks of the Victoria series are swappable.	
Hard Case	Standard Equipment	
Weight Gr.	6030 (28") - 6180 (30") -6350 (32")	
Dimension mm	1300	












Lunae



Lunae





Destination Use	Hunting
Caliber (Twist rate)	.300 WM (1/10 - 26") - 7 Rem Mag (1/8,5 - 26")270 WSM (1/9 - 26")308 Win (1/11 - 22") - 6 XC (1/8,5 - 22")
Barrel Length	22" - 26"
Barrel	Single cut in Aisi 416R lapped FLUTED
Action	Lunae 3-lug action in Aisi 630 w/ detachable magazine PVD coated
Magazine	Metal 3 Rounds
Trigger	Double Stage - Adjust.
Safety	Upper

Muzzle Brake	Radial Detachable
Action Rail	20 Moa
Bipod Rail	Sling Attach.
Monoblock system	Standard equipment
Stock Colour	Solid Walnut premium grade oil finished
Hard Case	Standard Equipment
Weight Gr.	3150 (22") - 3350 (26")
mension Min. / Max. mm	1100 (22") - 1200 (26")





info@victrixarmaments.com









www.victrixarmaments.com www.beretta.com www.berettadefensetechnologies.com